

Web Images Video Maps News Shopping Gmail more ▾

Sign in

bytes count as identifier in tunneling

Search

Advanced Search
Preferences

Web Show options...

Results **1 - 10** of about **35,000** for **bytes count as identifier in tunneling**. (0.25 seconds)

Tunnel configuration - Patent

Column 473 "RECEIVED PACKET **BYTE COUNT**" indicates the numbers of packets and ... and/or **bytes** dropped, security information, client **identifiers**, **tunnel** ...

www.faqs.org/patents/app/20090016337 - [Cached](#) - [Similar pages](#)

2.2.1.3.1 ipsecNFA{GUID} Object Description

Auth-Method-**Count** (4 **bytes**): This MUST be the number of Auth-Method binary ... IPv6-

Tunnel-Mode-ID (16 **bytes**): The **identifier** that specifies this NFA ...

[msdn.microsoft.com/en-us/library/cc232439\(prot.13\).aspx](http://msdn.microsoft.com/en-us/library/cc232439(prot.13).aspx) - [Cached](#) - [Similar pages](#)

Layer 2 Tunnel Protocol - Cisco Systems

id —Local **tunnel ID**. local-name—Name of local end of **tunnel**. remote-name—Name of remote end of **tunnel**. packets. Packet/**byte count**. ...

www.cisco.com/en/US/docs/ios/12_0t/12_0t1/feature/guide/l2tpT.html -

[Cached](#) - [Similar pages](#)

Configure Logical Interface Properties

oam-liveness { up-**count** cells ; down-**count** cells ; } oam-period (disable | seconds) ; ... dcli **identifier**. Point-to-point interfaces with Frame Relay encapsulation. ... fragment-threshold **bytes**. Multilink interfaces. ... Configure a Unicast **Tunnel** and Configure a VT Interface for Route Table Lookup. ...

www.juniper.net/techpubs/software/junos/junos56/swconfig56-interfaces/html/interfaces-logical-config.html - [Cached](#) - [Similar pages](#)

Header compression for general packet radio service tunneling ...

Once can map each RTP context to a GTP TID (GTP **tunnel ID**) (the maximum number ... clock at the decompressor (or receiving RTP peer) is used to **count** the cycles. ... 1 **byte**), a two **byte** length field, a two to four **byte tunnel identifier** ...

www.patentsstorm.us/patents/6839339/description.html - [Similar pages](#)

fxr.watson.org: NETBSD20 sys/netinet/ip_mroute.h

Jun 26, 2003 ... source navigation] [diff markup] [**identifier** search] [freetext search cached route if this is a **tunnel** */ 142 struct callout v_repq_ch; ... pkt **count** for src-grp */ 162 u_long mfc_byte_cnt; /* **byte count** for ...

fxr.watson.org/fxr/source/netinet/ip_mroute.h?v=NETBSD20 - [Cached](#) - [Similar pages](#)

TunnelServlet xref

42 * 43 * \$Id: TunnelServlet.java,v 1.3 2007/03/10 12:42:13 tanderson Exp \$ 44 ... setIdlePeriod(idlePeriod); 136 137 log("OpenJMS **tunnel** accepting requests 279 **byte**]

data = new **byte**[1024]; 280 int **count** = 0; 281 while (**count** ! ...

openjms.sourceforge.net/modules/openjms-tunnel/xref/org/exolab/jms/net/

[tunnel/TunnelServlet.html](#) - [Similar pages](#)

[PPT] Control Update

File Format: Microsoft Powerpoint - [View as HTML](#)

uchar type; // 0 = Normal, 1 = substrate only (i.e. **tunnel**) ... qmID_t: unsigned **Byte**; 2-bit

QM **identifier**; schID_t: unsigned **Byte**; 3-bit qm relative ...

www.arl.wustl.edu/projects/techX/ppt/Types.ppt - [Similar pages](#)

[Header compression for general packet radio service tunneling ...](#)

Jan 21, 2004 ... (It should be noted that the TID (**tunnel ID**) value is based upon the release 97 version then the CSRC list and CC **count** will also change. a two to four **byte tunnel identifier** (TID) field, a two **byte** sequence ...

www.freepatentsonline.com/EP1122925.html - [Similar pages](#)

by M Choo Chuah - 2004 - [Related articles](#)

[Network Working Group N. Brownlee Request for Comments: 2924 The ...](#)

AVP Length A 16-bit field contains the total object length in **bytes**. 50 Acct-Multi-Session-Id 51 Acct-Link-**Count** These **identifiers** were designed to ...

www.ietf.org/rfc/rfc2924.txt - [Cached](#) - [Similar pages](#)

by A Attributes - [Related articles](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) -
[Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)